

STATE OF WASHINGTON  
DEPARTMENT OF ECOLOGY

PERMIT  
TO APPROPRIATE PUBLIC WATERS OF THE STATE OF WASHINGTON

- ☐ Surface Water (Issued in accordance with the provisions of Chapter 117, Laws of Washington for 1917, and amendments thereto, and the rules and regulations of the Department of Ecology.)
- ☒ Ground Water (Issued in accordance with the provisions of Chapter 263, Laws of Washington for 1945, and amendments thereto, and the rules and regulations of the Department of Ecology.)

PRIORITY DATE	APPLICATION NUMBER	PERMIT NUMBER	CERTIFICATE NUMBER
February 18, 2000	G3-30197	G3-30197	

NAME			
Newport School District No. 56-415			
ADDRESS (STREET)	(CITY)	(STATE)	(ZIP CODE)
PO Box 70	Newport	WA	99156-0070

The applicant is pursuant to the Report of Examination which has been accepted by the applicant, hereby granted a permit to appropriate the following public waters of the State of Washington, subject to existing rights and to the limitations and provisions set herein.

PUBLIC WATERS TO BE APPROPRIATED

SOURCE			
Three (3) wells			
TRIBUTARY OF (IF SURFACE WATERS)			
MAXIMUM CUBIC FEET PER SECOND	MAXIMUM GALLONS PER MINUTE	MAXIMUM ACRE FEET PER YEAR	
	100	73	

QUANTITY, TYPE OF USE, PERIOD OF USE  
100 gallons per minute, 73 acre feet per year, from April 1 to October 31, each year, for the irrigation of 28 acres.

LOCATION OF DIVERSION/WITHDRAWAL

APPROXIMATE LOCATION OF DIVERSION--WITHDRAWAL  
#1) NE $\frac{1}{4}$ NW $\frac{1}{4}$ ; #2) SW $\frac{1}{4}$ NE $\frac{1}{4}$ ; #3) SE $\frac{1}{4}$ NW $\frac{1}{4}$ ;

LOCATED WITHIN (SMALLEST LEGAL SUBDIVISION)	SECTION	TOWNSHIP N.	RANGE, (E. OR W.) W.M.	W.R.I.A.	COUNTY
ALL WITHIN	24	31	45 E.	62	Pend Oreille

RECORDED PLATTED PROPERTY

LOT	BLOCK	OF (GIVE NAME OF PLAT OR ADDITION)

LEGAL DESCRIPTION OF PROPERTY ON WHICH WATER IS TO BE USED

A tract of land in the NW $\frac{1}{4}$  of Sec. 24, T. 31 N., R. 45 E.W.M., more particularly described as follows:

Beginning at the Southwest corner of the "Third Addition to McAvoy's Addition to the City of Newport, Washington", a platted and recorded subdivision of Pend Oreille County, Washington; thence S 89°49'07" E, 972.02 feet along the South property line of said Third Addition to its Southeast corner; thence continuing S 89°49'07" E, 254.65 feet to a point; thence S 0°16'32" West, 657.43 feet, more or less, to a point on the Northerly right of way of State Highway No. 200; thence Southwesterly along said right of way on a curve to the left (chord = S 75°57'36" W, 205.47 feet, radius = 1970', (Delta)  $\Delta$  = 5°58'42"), a distance of 205.56 feet to a point on said right of way; thence S 83°56'57" W, 106.52 feet, more or less, to the Northeast corner of Block 11 of "Jayne's Addition to Newport, Washington", a platted and recorded subdivision of Pend Oreille County, Washington; thence N 89°45'28" W, 917.7 feet along the North lines of Blocks 11, 12 and 13 to the West line of said "Jayne's Addition", thence S 00°16'32" W, 237.36 feet; thence N 89°45'28" W, 992.65 feet, more or less, to a point on the West Section line of said Section 24; thence N 00°31'20" E, 489.29 feet, more or less, along said West Section line to a point which is S 00°31'20" W, 1580 feet from the Northwest corner of said Section 24; thence S 89°49'07" E, 460 feet; thence N 00°31'20" E, 479.36 feet; thence S 89°49'07" E, 524.55 feet to a  $\frac{3}{4}$  inch iron pipe; thence S 00°33'16" W, 13.83 feet to the point of beginning.

EXCEPTING the South Half of Sixth Street extending from the East line extended Northerly of Lot 6 of Block 12 of Jayne's Addition" to the West line extended Northerly of Lot 3 of Block 13 of "Jayne's Addition".

RESERVING TO THE GRANTOR an easement being 30 feet in width along the North, East, South and West lines of said tract, with the exception of the South Half of Sixth Street above described, for utilities and all other underground installations.

SUBJECT TO: Rights of way for roads, utilities and EXCEPT a parcel known as Tax 13, more particularly described in Book A of Transcribed Deeds, Page 441, in Pend Oreille County, Washington.

A tract of land in the N $\frac{1}{2}$  of Sec. 24, T. 31 N., R. 45 E.W.M., more particularly described as follows:

Beginning at the Southwest corner of the "Third Addition to McAvoy's Addition to the City of Newport, Washington", a platted and recorded subdivision of Pend Oreille County, Washington; thence S 89°49'07" E, 972.02 feet along the South property line of said Third Addition to its Southeast corner; thence continuing S 89°49'07" E, 254.65 feet to a point; thence S 00°16'32", 657.43 feet, more or less, to a point on the northerly right of way of State Highway No. 200 (SR2) and the true point of beginning, said point being on a curve to the right, the radius of which bears S 11°14'53" E, a distance of 1970.00 feet; thence along said right of way and curve to the right, through a central angle of 14°18'18", an arc distance of 491.84 feet, to a point of tangency; thence S 86°56'35" E, along said right of way, 628.70 feet; thence S 03°03'25" W, along said right of way 133.65 feet; thence N 00°37'19" E, 295.41 feet, to the South right of way line of 5<sup>th</sup> Street; thence S 89°57'02" W, along said right of way, 1251.43 feet; thence S 00°16'32" W, 268.73 feet; to the true point of beginning. Area = 7.223 ACS.



# DESCRIPTION OF PROPOSED WORKS

Three (3) wells, pumps and pressure distribution system.

## DEVELOPMENT SCHEDULE

BEGIN PROJECT BY THIS DATE: September 1, 2001	COMPLETE PROJECT BY THIS DATE: September 1, 2002	WATER PUT TO FULL USE BY THIS DATE: September 1, 2003
--	---	--

## PROVISIONS

An approved measuring device shall be installed and maintained in accordance with RCW 90.03.360 and/or WAC 508-64-020 through WAC 508-64-040.

The amount of water granted is a maximum limit that shall not be exceeded and the water user shall be entitled only to that amount of water within the specified limit that is beneficially used and required for the actual crop grown on the number of acres and the place of use specified.

This authorization to make use of public waters of the State is subject to existing rights, including any existing rights held by the United States for the benefit of Indians under treaty or otherwise.

A certificate of water right will not be issued until a final examination is made.

Nothing in this authorization shall be construed as satisfying other applicable federal, state, or local statutes, ordinances, or regulations.

All water wells constructed within the State shall meet the minimum standards for construction and maintenance as provided under RCW 18.104 (Washington Water Well Construction Act of 1971) and Chapter 173-160 WAC (Minimum Standards for Construction and Maintenance of Water Wells).

The installation of an access port, described in Ground Water Bulletin #1, shall be required prior to issuance of a final certificate of water right. In addition, an airline and pressure gauge shall be installed and maintained in operating condition. The pressure gauge shall be equipped with a standard tire valve and placed in an accessible location. The airline shall extend from land surface to the top of the pump bowls and the total airline length shall be reported to the Department of Ecology upon completion of the pump system.

A well log of the completed well shall be submitted by the driller to the Department of Ecology within thirty (30) days of completion of this well. This well log shall be complete and all information concerning the static water level in the completed well in addition to any pump test data shall be submitted as it is obtained.

This authorization to use public waters of the State is classified as a Public Water Entity Permit in accordance with Chapter 90.66 RCW (Initiative Measure No. 59).

"Use of water under this authorization shall be contingent upon the water right holder's utilization of up to date water conservation practices and maintenance of efficient water delivery systems consistent with established regulation requirements and facility capabilities."

The Washington State Department of Fish and Wildlife (WDFW), has recommended that water rights from the Pend Oreille River be conditioned with instream flows of 7,700 cubic feet per second (cfs) on a year-round basis (as measured at the gage near Newport, Washington).


The following hydrographs for the U.S.G.S. Gage on the Pend Oreille River at Newport, Idaho (12395500) demonstrate important hydrologic characteristics of the Pend Oreille River. Before the construction of the Albeni Falls Dam, the river exhibited normal, riverine flow conditions. The first hydrograph shows the typical late summer flow regime for 10 different water years in the 1930s and early 1940s. The solid line at 7700 cfs represents WDFW's recommended instream flow value as it would have applied to the river in the 1930s. When summer flows reached their baseflow, they tended to stay down at that level for the remainder of the water year.

This permit shall be subject to cancellation should the permittee fail to comply with the above development schedule and/or to give notice to the Department of Ecology on forms provided by that Department documenting such compliance.

Given under my hand and the seal of this office at Spokane, Washington,

this 11th day of September, 2000.

ENGINEERING DATA  
OK cac




Department of Ecology

by

George B. Schender, Section Manager




# Pend Oreille R at Newport 12395500



With the construction of the Albeni Falls dam in 1952, the character of the daily discharge changed dramatically from a riverine regime to an impounded, highly regulated, flow regime. The next hydrograph depicts the late summer, daily average discharge for a ten-year period in the 1980s through the early 1990s. The highly variable discharge data reflects the flows that result from the power generation demands that are placed on the river.


# Pend Oreille R at Newport 12395500



Trying to devise a methodology to implement the WDFW recommended instream flow given the current flow regime of the river requires some careful consideration of the day-to-day variability of the discharge. Given its fluctuations, just simply regulating junior water rights every time the daily average flow drops below 7700 cfs (the recommended instream flow) would be inappropriate and unworkable. Examining the data in the hydrograph indicates that the day-to-day variability is on the order of 5,000 cfs. Looking at a suite of duration frequency low flow analyses (7-day, 14-day, 21-day, and 30-day) for the 1970 through 1996 period allows us to get a better handle on when the flow in the river is truly flowing at a rate that is below the recommended instream flow. By looking at the actual daily flow data, we can see that three water years during the period 1970 – 96 exhibited sustained, low flow periods that were lower than the 7700 cfs threshold (1977, 1988, and 1994). The data from the duration frequency analysis shows that using a 14-day low flow criteria gives us the best opportunity to identify the low flow events.




### Pend Oreille River Low Flow Analysis



Calculating the exceedance probability for the daily average flows for the period 1970 – 96 allows us to see how frequently (on a yearly basis) and for what duration (how many weeks during each year) the flows on the Pend Oreille River can be expected to be below the recommended instream flow. The following graph demonstrates that on average, we can expect the summer low flows in the Pend Oreille River will be above the instream flow 8 to 9 times out of ten years. During that one in ten year event when the flow in the river is below the recommended flow, the low flow will last for approximately one month (typically August).

### Pend Oreille R at Newport Exceedance Curve - 1970-96



Therefore, this permit shall be conditioned that all diversion shall cease when the 14-day average flow in the Pend Oreille River falls below 7700 cfs (as measured at the Pend Oreille River at Newport gage) as recommended by WDFW.”



FILE COPY

STATE OF WASHINGTON

DEPARTMENT OF ECOLOGY

4601 N. Monroe, Suite 202 • Spokane, Washington 99205-1295 • (509) 456-2926

September 11, 2000

Dr. Shirl Nadeau  
Newport School District No. 56-415  
PO Box 70  
Newport, WA 99156-0070

Dear Dr. Nadeau:

Re: Ground Water Permit No. G3-30197P

Enclosed is Permit No. G3-30197P. We are in receipt of your permit fees in the amount of \$11.20. Under the development schedule contained in the permit, construction work for your project shall be started by September 1, 2001.

We are also enclosing a Notice of Beginning of Construction to be submitted to this office when the work is started.

Please read carefully the enclosed instruction sheet as well as both sides of your permit.

Sincerely,

*Cindy A. Christian*

Cindy A. Christian  
Water Resources Program

CAC:mjw  
Enclosures